


# Templates & Library Items

By Dr Derek Peacock






# Dreamweaver Assets

```
<div id="page">
```

```
<header class="group">  
    
  <h1>  
    Brigade Pa  
  </h1>  
</header>
```

```
<nav class="group">
```



New Library Item

# Using a Library Item

```
<body>
  <div id="page">
<!-- #BeginLibraryItem "/Library/header.lbi" -->
<header class="group">
  
  <h1> Bradgate Park Web Site </h1>
</header>
<!-- #EndLibraryItem -->
```

# Create a New Template


```
<!DOCTYPE HTML>
<html>
<head>
  <meta charset="utf-8">
  <!-- TemplateBeginEditable name="doctitle" -->
  <title>Prototype Page</title>
  <!-- TemplateEndEditable -->
  <link href="../Css/html5reset.css" rel="stylesheet" type="text/css" />
  <link href="../Css/MainStyles.css" rel="stylesheet" type="text/css" />
  <link href="../Css/grids.css" rel="stylesheet" type="text/css" />
  <!-- TemplateBeginEditable name="head" -->
  <!-- TemplateEndEditable -->
</head>

<body>
  <div id="page">
    <!-- #BeginLibraryItem "/Library/header.lbi" -->
    <header class="group">
      
      <h1>Bradgate Park Web Site </h1>
    </header>
    <!-- #EndLibraryItem -->


    <!-- #BeginLibraryItem "/Library/menu.lbi" -->
    <nav class="group">
      <ul>
```

# Creating Editable Regions

```
<!-- TemplateBeginEditable name="content" -->
<section class="row">
  <aside class="unit size4of4">
    <h2> Side Bar </h2>
    <p>
      Lorem ipsum dolor sit amet, consecte
    </p>
  </aside>
  <section class="lastUnit size3of4">
    <h2> Welcome to Bradgate Park </h2>
    <p>
      Lorem ipsum dolor sit amet, consecte
    </p>
  <p>
```



# Create Page From Template



# New Web Page

